

Test Report

Report No.: CTT180534789EN

Date: May. 29, 2018

Page 1 of 3

Applicant: CSP INC

Address: 8248 W. ORANGE DR GLENDALE, AZ 85303 USA

The following merchandise was (were) submitted and identified by client as:

Sample Name: POM PON PEN

Sample Model: 5-806

Sample Size: 6 PCS

Test Age Group: 3+

Sample Received Date: May. 29, 2018

Completed Date: May. 29, 2018

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS (Please refer to "N" note of the next page)
2	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in paint or surface coating	PASS

Signed for and on Behalf of CTT




Frank / Lab supervisor

Consumer Testing Technology Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

The Lead content of accessible substrate materials – CPSIA

Method:

Metal – CPSC-CH-E1001-08.3

Nonmetal – CPSC-CH-E1002-08.3

Analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
1+2+3 ^N	100	N.D.	PASS
4	100	N.D.	PASS
6	100	56	PASS

The Lead content of paint or surface coating - CPSIA

Method: CPSC-CH-E1003-09.1, analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
5	90	18	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.
 4. "N" = This data is obtained from composite testing on more than one materials, it is possible that result obtained from individual testing on any one of the materials is substantially higher. Please be cautious when using this data for compliance evaluation.

Test Material List

The following materials apply only to the samples submitted for chemical testing

Material No.	Description	Location
1	White translucence plastic	Pen cap
2	White translucence plastic	Pen body
3	White plastic	Head of pen
4	White plastic	Refill tube
5	Blue ink	Ink
6	Silvery plating metal	Nib

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Remark:

CTT Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1362, and shall refer to <http://www.cpsc.gov/cgi-bin/labsearch/>.

Photo of Sample:



End of Report

