

**Test Report**


Number: SZHH01258730

Applicant: CSP INC  
8248 W. ORANGE DR GLENDALE, AZ 85303 USA  
Attn: Wendy

Date: Jun 15, 2018

Sample Description:

Six (6) pieces of submitted samples said to be :  
Item Name : **Motorcycle Eraser.**  
Item No. : **Dolphin Family Bath Toy.**  
P. O. No. : 6-805.  
Labelled Age Group : Not Specified.  
Applicant Specified Age : Over 3 Years.  
Grading for Testing :  
Packaging Provided by Applicant : No.  
Additional Material and Wet Paint Provided : Yes.  
Buyer : Kids'Korner  
Date Sample Received : May 24, 2018 & Jun 12, 2018.



\*\*\*\*\*

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

\*\*\*\*\*

To be continued

Authorized by:  
For Intertek Testing Services  
Shenzhen Ltd.

Ben N.L. Lin  
General Manager



**Test Report**

Number: SZHH01258730

Conclusion:

<u>Tested Samples</u>	<u>Standard – U.S. ASTM F963-17</u>	<u>Result</u>
Submitted samples	Physical and mechanical tests	Pass
	Flammability test of materials other than textile materials	Pass
Tested components of submitted samples	Heavy elements test	Pass

\*\*\*\*\*

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted samples	U.S. CFR Title 16 (CPSC Regulations) Mechanical and physical test	Pass
	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) flammability test on rigid and pliable solids	Pass
	U.S. CFR Title 16 Part 1303 total Lead content	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate)	Pass
	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108 requirement on phthalate	Pass

\*\*\*\*\*

Authorized by:  
For Intertek Testing Services  
Shenzhen Ltd.




Ben N.L. Lin  
General Manager



**Test Report**

Number: SZHH01258730

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
	US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
	Consent Judgment No. RG- 356892 for total Lead content based on the California Proposition 65	Pass
	Consent Judgment No. BG-350969 on phthalate content based on the California Proposition 65	Pass
	Illinois Lead Poisoning Prevention Act 410 ILCS 45 on total Lead content requirement	Pass

\*\*\*\*\*

Remark:

As requested by the applicant, the testing was conducted on the component(s) listed in the test report. Other components were not tested

\*\*\*\*\*

Authorized by:  
For Intertek Testing Services  
Shenzhen Ltd.




Ben N.L. Lin  
General Manager



**Test Report**

Number: SZHH01258730

Tests Conducted

1 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations :		
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Impact test	Section 1500.53(b)	4 x 3.0 ft
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.1	Material quality (visual check on cleanliness)	P
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices ( such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	P
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA



**Test Report**

Number: SZHH01258730

Tests Conducted

Section	Testing Items	Assessment
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
7.1	- Name of producer/distributor (Package)	Yes
	- Address (Package)	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass                      NA = Not Applicable

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

3 Total Lead (Pb) Content

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, test method CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 or/and CPSC-CH-E1003-09.1 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

(I) Surface coating

Element	Result (ppm)	Reporting Limit (ppm)	Limit (ppm)
	Tested Component (4+5)		
Lead (Pb)	ND	10	90

(II) Non-surface coating

Element	Result (ppm)	Reporting Limit (ppm)	Limit (ppm)
	Tested Component (3)		
Lead (Pb)	ND	10	100

ppm = part per million = mg/kg  
ND = Not detected

Tested Components: See component list in the last section of this report

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

4 Heavy Elements Analysis (except modelling clay)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (ppm)		Reporting limit (ppm)	Limit (ppm)
	Tested component			
	(3)			
Sol. Barium (Ba)	ND		5	1000
Sol. Lead (Pb)	ND		5	90
Sol. Cadmium (Cd)	ND		5	75
Sol. Antimony (Sb)	ND		5	60
Sol. Selenium (Se)	ND		5	500
Sol. Chromium (Cr)	ND		5	60
Sol. Mercury (Hg)	ND		5	60
Sol. Arsenic (As)	ND		2.5	25

Sol. = Soluble  
ppm = part per million = mg/kg  
ND = Not detected

Tested Components: See component list in the last section of this report

5 Physical and Mechanical Test

As per U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

	No. of Sample Tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	NA	NA
Impact (1500.53(b))	1	P	NA	NA
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	NA	NA
Tension (1500.53(f))	1	P	NA	NA
Compression (1500.53(g))	1	P	NA	NA

Remark : P = Pass NA= Not Applicable

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

6 Flammability Test

As per U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Ignited but self-extinguished before burn rate could be determined.

7 Total Lead (Pb) Content in Surface Coating

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (ppm)		Reporting Limit (ppm)	Limit (ppm)
	Tested Component			
	(4+5)			
Lead (Pb)	ND		10	90

ppm = parts per million = mg/kg  
ND = Not detected (less than reporting limit)

Tested component: See component list in the last section of this report

8 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

As per Standard Operating Procedures for Determining total Lead (Pb) in children’s products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (ppm)		Reporting Limit (ppm)	Limit (ppm)
	Tested Component			
	(3)			
Lead (Pb)	ND		10	100

ppm = parts per million = mg/kg  
ND = Not detected (less than reporting limit)

Tested component: See component list in the last section of this report

\*\*\*\*\*





**Test Report**

Number: SZHH01258730

Tests Conducted

9 Phthalate Content

As per CPSC-CH-C1001-09.3, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) $\theta$	Reporting Limit (%)	Limit (%)
		Tested component		
		(3),(4+5)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	0.01	0.1

The above limit was quoted according to US Consumer Product Safety Improvement Act 2008 for prohibition on sale of certain products containing specified phthalates.

ND = Not detected (less than reporting limit)  
 $\theta$  = Single result for each test component/group

Tested Components: See component list in the last section of this report

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

10 Phthalate Content

With reference to CPSC-CH-C1001-09.3, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) <sup>θ</sup>	Reporting limit (%)	Limit (%)
		Tested component (3),(4+5)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

The above limit was quoted according to US 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.

ND = Not detected (less than reporting limit)  
θ = Single result for each test component/group

Tested Components: See component list in the last section of this report

11 Total Lead Content

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component (4+5)		
Lead (Pb)	ND	10	90

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component (3)		
Lead (Pb)	ND	10	100

The above limit was quoted from the Consent Judgment No. RG- 356892 settled by superior court of the State of California for the county of Alameda, for toys based on the California Proposition 65.

ND = Not detected (less than reporting limit)

Tested Components See component list in the last section of this report

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

12 Phthalate Content

With reference to CPSC-CH-C1001-09.3 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) $\theta$	Reporting limit (%)	Limit (%)
		Tested component		
		(3),(4+5)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	0.01	0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	--

The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for toys (designed for or reasonable used by children under six years of age) based on the California Proposition 65.

ND = Not detected (less than reporting limit)  
 $\theta$  = Single result for each test component/group

Tested Components: See component list in the last section of this report

\*\*\*\*\*



**Test Report**

Number: SZHH01258730

Tests Conducted

13 Total Lead (Pb) Content

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45, with reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

(I) Surface coating

Element	Result (%)	Reporting Limit (%)	Warning Statement Limit (%)	Limit (%)
	Tested Component			
	(4+5)			
Lead (Pb)	ND	0.001	0.004	0.009

(II) Non-Surface Coating

Element	Result (%)	Reporting Limit (%)	Limit (%)
	Tested Component		
	(3)		
Lead (Pb)	ND	0.001	0.01

ND = Not detected (less than reporting limit)

Tested components: See component list in the last section of this report

\*\*\*\*\*

Component list:

- (1) @White coating on soft plastic(eyes of big fish).
- (2) @Black coating on soft plastic(eyes of both fish).
- (3) Blue soft plastic(body of both fish).
- (4) White dry paint(eyes of big fish).
- (5) Black dry paint(eyes of both fish).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

\*\*\*\*\*

End of report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Ltd.*

