



**Testing Age Group:** 



3+



### **Test Report**

Applicant: CSP INC

Address: 8248 W. ORANGE DR GLENDALE, AZ 85303 USA

The following merchandise was (were) submitted and identified by Applicant as:

Sample Name: SOCCER WHISTLE

Model No.: 16-704

Buyer: Kids' Korner

Sample Size: 5set Packaging Provided: No

Labelled Age Group: / Tested Age Grading: 3+

Appropriate Age Grading: 3+ Applicant's Specified

Sample Received Date: May. 19, 2017

**Test Period:** May. 19, 2017 to May. 23, 2017

**Test Result(s):** Please refer to next page(s).

Signed for and on Behalf of

reya

Rheya / Technical supervisor

Consumer Testing Technology Co., Ltd.



This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without privately report of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Date: May. 23, 2017 Report No.: CTT170530292EN Page 2 of 8

#### Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in accessible substrate materials	PASS
2	Tested materials of submitted samples	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA)] - Total Lead (Pb) in paint or surface coating	PASS
3	Tested materials of submitted samples	ASTM F963-16 Section 4.3.5.2 - Soluble Heavy Metals content in substrate material	PASS
4	Submitted sample	ASTM F963-16 - Physical and Mechanical Properties (Excluding Section 5.16, 6.1,7.1)	PASS
5	Submitted sample	ASTM F963-16 - Flammability	PASS

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without p written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and the company is not in the company



#### Test Result(s):

The Lead content of accessible substrate materials - CPSIA

Method:

Metal - CPSC-CH-E1001-08.3

Nonmetal - CPSC-CH-E1002-08.3

Analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission

Spectroscopy (ICP-AES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
5	100	N.D.	PASS
6	100	N.D.	PASS
7	100	N.D.	PASS
8	100	N.D.	PASS
10	100	N.D.	PASS

The Lead content of paint or surface coating - CPSIA

<u>Method:</u> CPSC-CH-E1003-09.1, analyzed by Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
9	90	N.D.	PASS

Note:

- 1. mg/kg = milligram per kilogram (ppm).
- 2. N.D. = Not Detected (< RL).
- 3. RL (Reporting Limit) = 10 mg/kg.

Soluble Heavy Metals content in substrate material - ASTM F963-16 Section 4.3.5.2 n

<u>Method:</u> ASTM F963-16 Section 8.3.2 to Section 8.3.5, analyzed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Elements	As	Ва	Cd	Cr	Hg	Pb	Sb	Se	
Limit (mg/kg)	25	1000	75	60	60	90	60	500	Complyation
RL (mg/kg)	2.5	5	5	5	5	5	5	5	Conclusion
Material No.				Result	(mg/kg)				
5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note: 1. mg/kg = milligram per kilogram (ppm).

- 2. N.D. = Not Detected (< RL).
- 3. RL = Reporting Limit.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without price written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Consumer Testing Technology Co.,Ltd.

1st Floor, Incubation Center, No.E21, Xinke Road, Yiwu, Zhejiang, China
Tel:86-579-8998 6543 Fax:86-579-8998 6547 Email: zj@cttlab.com Hotline:400 6789 66



Report No.: CTT170530292EN Date: May. 23, 2017 Page 4 of 8

#### **Test Material List:**

The following materials apply only to the samples submitted for chemical testing

Material No.	Description	Location	Remark
1	Blue synthetic fiber	String	
2	Green synthetic fiber	String	
3	Yellow synthetic fiber	String	
4	Red synthetic fiber	String	
5	Blue plastic	Whistle	
6	Green plastic	Whistle	
7	Yellow plastic	Whistle	
8	Red plastic	Whistle	
9	Black paint	Coating of whistle	
10	Blue plastic	Round bead	
11	Brown wood	Round bead	
12	Brown/black wood	Round bead	

#### Remark:

CTT Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1362, and shall refer to <a href="http://www.cpsc.gov/cgi-bin/labsearch/">http://www.cpsc.gov/cgi-bin/labsearch/</a>.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without processing the limitation of liability, indemnification and jurisdictional issues defined therein. written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of the report of the report within 30 days overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA are



Date: May. 23, 2017 Report No.: CTT170530292EN Page 5 of 8

#### Test Result(s):

Mechanical and Physical Properties - ASTM F963-16 s

Section	Tooting Itama	Assessment
Section	Testing Items	Whistle / whistle body
4	Safety requirements	PASS
4.1	Material quality	PASS
4.3.7	Stuffing materials	NA
4.4	Electrical/thermal energy	NA
4.5	Sound producing toys	NA
4.6	Small objects	NA
4.6.1	Toys intended for children under 36 months of age	NA
4.6.2	Mouth actuated toys	NA
4.7	Accessible edges	PASS
4.8	Projections	NA
4.9	Accessible points	PASS
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords and elastics in toys	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	PASS
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without p written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and



Date: May. 23, 2017 Report No.: CTT170530292EN Page 6 of 8

4.28 Stroller and carriage toys	NA
4.29 Art materials	NA
4.30 Toy gun marking	NA
4.32 Certain toys with nearly spherical ends	NA
4.34 Balls	NA
4.34.1 Toy intended for children under 36 months of age	NA
4.35 Pompoms	NA
4.36 Hemispheric-shaped objects	NA
4.37 Yo Yo Elastic Tether Toys	NA
4.38 Magnets	NA
4.39 Jaw Entrapment in Handles and Steering Wheels	NA
4.40 Expanding materials	NA
4.41 Toy chests	NA
5 Labeling Requirement	NR*
5.4 Aquatic toys	NA
5.5 Crib and playpen toys	NA
5.6 Mobiles	NA
5.7 Stroller and carriage toys	NA
5.8 Toys intended to be assembled by an adult	NA
5.9 Simulated protective devices	NA
5.10 Toys with functional sharp edges or points	NA
5.11 Small objects, small balls, marbles, and balloons	NA
5.12 Toy caps	NA
5.13 Art materials	NA
5.14 Electric toys	NA
5.15 Battery operated toys	NA
5.16 Promotional materials	NR*
5.17 Magnets	NA
6 Instructional Literature	NR*
6.1 Definition and description	NR*
6.2 Crib and playpen toys	NA
6.3 Mobiles	NA
6.4 Toys intended to be assembled by an adult	NA

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without pric written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and



Report No.: CTT170530292EN Date: May. 23, 2017 Page 7 of 8

6.5	Battery operated toys	NA		
6.6	6.6 Battery powered ride-on toys			
6.7	6.7 Toys in contact with food			
6.8	6.8 Toy chests			
7	Producer's Marking			
7.4	Name of the producer or the distributor	NR*		
7.1	Address of the producer or the distributor	NR*		
7.2	7.2 Battery powered ride on toys			
7.3 Toy chests		NA		

Note: 1. NA = Not Applicable

2. NR =Not Requested

3. "\*" = Per client's requirement, the packaging was not evaluated.

4. The name and address of the producer or the distributor shall be marked on the toy or the package.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations: s

_	Cabetations for (11107), This To, Code of Foderal Regulations.					
	Tooting Home	FHSA Parameter				
	Testing Items	Whistle / whistle body				
Drop Test		Section 1500.53(b)	4×3.0 ft			
	Torque Test	Section 1500.53(e)	4.0 inch ·lbf			
	Tension Test	Section 1500.53(f)	15 lbf			

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 day overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA a



Date: May. 23, 2017 Report No.: CTT170530292EN Page 8 of 8

### Test Result(s):

Flammability - ASTM F963-16 Annex A5 s

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
Whistle / whistle body	Edge	1.1	60	0.02	0.15	PASS

Note:

1. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

### **Photo of Sample:**



\*\*\*End of Report\*\*\*

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CNAS, "s" means the item of subcontractor.