



Test Report

No. SHATY1004122303

Date: 16 Apr 2010

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
1	SHA10-041223.001	Blue ink

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

EN 71 Part 3:1994 (including amendment A1:2000/AC:2002) - Migration of Certain Elements

Test Method : With reference to EN 71 Part 3:1994 + A1:2000 + AC: 2002, analysis was performed by ICP-OES

Test Item(s)	Limit	Unit	MDL	001
Soluble Lead (Pb)	90	mg/kg	5	ND
Soluble Antimony (Sb)	60	mg/kg	5	ND
Soluble Arsenic (As)	25	mg/kg	5	ND
Soluble Barium (Ba)	1,000	mg/kg	10	ND
Soluble Cadmium (Cd)	75	mg/kg	5	ND
Soluble Chromium (Cr)	60	mg/kg	6	ND
Soluble Mercury (Hg)	500	mg/kg	10	ND
Soluble Selenium (Se)				

Notes:

- (1) Results shown are of the adjusted analytical results.

Notes:

Results shown are of the total weight of wet sample

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document is not to be used for any other purpose. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The results stated in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

Test Report

No. SHATY1004122303

Date: 16 Apr 2010

Page 1 of 3

CHANGSHU HEDIAN CULTURE AND STATIONERY PRODUCTS MANUFACTURING CO.,LTD
HEDIAN VILLAGE MOCHENG TOWN CHANGSHU CITY JIANGSUI PROVINCE CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : 418 BLUE BALL PEN INK

SGS Job No. : SHT201005327 - SH
 Date of Sample Received : 12 Apr 2010
 Testing Period : 12 Apr 2010 - 16 Apr 2010
 Test Requested : Selected test(s) as requested by client.
 Test Method : Please refer to next page(s).
 Test Results : Please refer to next page(s).
 Conclusion : When tested as specified, the specified material of the submitted samples comply with the stated requirements of the European Standard EN 71 Part3:1994 + A1:2000+ AC: 2002.

Signed for and on behalf of
SGS-CSTC Ltd.

Sandy Hao

Hao Jinyu, Sandy
Lab Manager

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction, born separating all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.




Test Report

No. SHATY1004122303

Date: 16 Apr 2010

Page 3 of 3

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***